

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Forecourt Bio

UFI: NQ10-00FS-M002-NMP4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Cleaning agent, Surface treatment

1.3 Details of the supplier of the safety data sheet

Name of Supplier: Oil Technics Ltd Address of Supplier: Linton Business Park

> Gourdon Aberdeenshire DD10 0NH

Scotland, United Kingdom +44 (0) 1561 361515

Responsible Person: Julia See

Email: Info@oiltechnics.com

1.4 Emergency telephone number

Emergency Telephone: +44 (0) 1561 361515 (24 Hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

CLP: Skin Irrit. 2, Eye Irrit. 2

2.2 Label elements

Telephone:



Signal Word: Warning

Hazard statements

Causes skin irritation (H315).

Causes serious eye irritation (H319).

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statements

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).

Wear protective gloves/protective clothing/eye protection/face protection (P280).

Wash hands thoroughly after handling (P264).

If eye irritation persists: Get medical advice/attention (P337+P313).

IF ON SKIN: Wash with plenty of soap and water (P302+P352).

If skin irritation occurs: Get medical advice/attention (P332+P313).

Take off contaminated clothing and wash it before reuse (P362+P364).

2.3 Other hazards

Contains: Alcohols, C9-11, ethoxylated

Datasheet Number: POT13-1000-01 - v3.1.0 1 of 9

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Alcohols, C9-11, ethoxylated

CAS Number: 68439-46-3
EC Number: 931-514-1
Concentration: 1-5%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Eye Dam. 1
Symbols: GHS05,GHS07
H Statements: H302,H318

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS. WITH 2PROPANAMINE

CAS Number: 84961-74-0
EC Number: 284-664-9
Concentration: 1-10%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Skin Irrit. 2; Eye Irrit. 2; Aquatic Chronic 3

Symbols: GHS07

H Statements: H315, H319, H412

N,N-dimethyl 9-decenamide

CAS Number: 1356964-77-6
EC Number: 806-919-0
Concentration: 1-10%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; Aquatic Chronic 3

Symbols: GHS07

H Statements: H302, H315, H319, H335, H412

REACH Registration Number: 01-2120058432-61-0000

BENZENESULFONIC ACID, MONO-C10-16-ALKYL DERIVS., SODIUM SALTS

 CAS Number:
 68081-81-2

 EC Number:
 268-356-1

 Concentration:
 0.5-1%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1

Symbols: GHS05, GHS07 H Statements: H302, H315, H318

Ethylenediaminetetraacetic acid, tetrasodium salt

Datasheet Number: POT13-1000-01 - v3.1.0 2 of 9

SECTION 3: Composition/information on ingredients (....)

CAS Number: 64-02-8
EC Number: 200-573-9
Concentration: 0.01-0.05%
Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4; Eye Dam. 1

Symbols: GHS05,GHS07 H Statements: H302,H318

1,2-benzisothiazol-3(2H)-one

CAS Number: 2634-33-5
EC Number: 220-120-9
Concentration: 0.001-0.005%

Specific Concentration Limits: Skin Sens. 1; H317: C ≥ 0,05 %

M factor:

Acute toxicity estimate:

Categories: Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Skin Sens. 1; Aquatic Acute

1

Symbols: GHS05,GHS06,GHS09

H Statements: H330,H302,H315,H317,H318,H410,H400

REACH Registration Number: 01-2120761540-60

HYDROCARBONS, C11-C12, ISOALKANES, < 2% AROMATICS

CAS Number:

EC Number: 918-167-1 Concentration: 1-10%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Asp. Tox. 1; Aquatic Chronic 4; Flam. Liq. 3

Symbols: GHS02, GHS08 H Statements: H226, H304, H413

REACH Registration Number: 01-2119472146-39-XXXX

HYDROCARBONS, C11-C14, isoalkanes, cyclics, <2% aromatics

CAS Number:

EC Number: 927-285-2 Concentration: 1-5%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Asp. Tox. 1 Symbols: GHS08

H Statements: EUH066, H304

REACH Registration Number: 012119480162-45-xxxx

HYDROCARBONS C11 -13 ISOALKANES <2% AROMATICS

Datasheet Number: POT13-1000-01 - v3.1.0 3 of 9

SECTION 3: Composition/information on ingredients (....)

CAS Number:

EC Number: 920-901-0 Concentration: 1-5%

Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories: Asp. Tox. 1 Symbols: GHS08 H Statements: H304

Ethoxylated alcohol

CAS Number: EC Number:

Concentration: 0.1-0.5% Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories:

Symbols: GHS07 H Statements: H319

Polyalkyl Ammonium salt

CAS Number: EC Number:

Concentration: 0.01-0.1% Specific Concentration Limits: None assigned

M factor:

Acute toxicity estimate:

Categories:

Symbols: GHS09,GHS07

H Statements: H302,H315,H319,H411

SECTION 4: First aid measures

4.1 Description of first aid measures

- If skin irritation occurs: Get medical advice/attention.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- IF ON SKIN: Wash with plenty of soap and water.

4.2 Most important symptoms and effects, both acute and delayed

- May cause redness and irritation
- May cause severe irritation
- Mildly irritating to skin and eyes

4.3 Indication of any immediate medical attention and special treatment needed

- Immediately call a POISON CENTER or doctor/physician.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Datasheet Number: POT13-1000-01 - v3.1.0 4 of 9

SECTION 5: Firefighting measures (....)

- Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions

5.2 Special hazards arising from the substance or mixture

- No hazard expected under normal conditions of use

5.3 Advice for firefighters

- Prevent run off water from entering drains if possible
- Wear chemical protection suit and positive-pressure breathing apparatus
- Wear full protective clothing including chemical protection suit

SECTION 6: Accidental release measures

Spillage causes slippery surface

6.1 Personal precautions, protective equipment and emergency procedures

- Contain spillage by any means possible
- Wear protective clothing as per section 8
- Wear eye/face protection

6.2 Environmental precautions

- Use appropriate containment to avoid environmental contamination
- Avoid release to the environment. Refer to special instructions/Safety data sheets
- Do not empty into drains

6.3 Methods and material for containment and cleaning up

- Absorb spillage in dry sand
- Absorb spillage in earth or sand
- Remove contaminated material to safe location for subsequent disposal

6.4 Reference to other sections

- See Section 8
- See Section 8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Wear protective gloves/protective clothing/eye protection/face protection.

7.2 Conditions for safe storage, including any incompatibilities

- Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

- No information available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DIPROPYLENE GLYCOL METHYL ETHER

DNEL

Exposure	Value	Population	Effect
Dermal	283 mg/kg/day	Workers	Systemic
Inhalation	308 mg/kg	Workers	Systemic
Dermal	121 mg/kg/day	Consumers	Systemic
Inhalation	37.2mg/m3	Consumers	Systemic
Oral	36 mg/kg/day	Consumers	Systemic

PNEC

INLO			
Exposure	Value	Population	Effect
Fresh water	19 mg/l	=	-
Marine water	1.9 mg/l	-	-
Intermittent release	190 mg/l	-	-
STP	4168 mg/l	-	-

Datasheet Number: POT13-1000-01 - v3.1.0

SECTION 8: Exposure controls/personal protection (....)

Sediment (Freshwater)	70.2 mg/kg/day	-	-
Sediment (Marine water)	7.02 mg/kg/day	-	-
Soil (agricultural)	2.74 mg/kg/day	-	-

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS

DNEL

Exposure	Value	Population	Effect
Inhalation	3.33mg/m3	Workers	Systemic
Dermal	0.94 mg/kg/day	Workers	Systemic
Inhalation	0.82 mg/m3	Consumers	Systemic
Dermal	0.47 mg/m3	Consumers	Systemic
Oral	0.47 mg/kg/day	Consumers	Systemic

PNEC

Exposure	Value	Population	Effect
Fresh water	0.268mg/l	· -	-
Marine water	0.0268mg/l	-	-
Soil (agricultural)	35mg/kg	-	-
Fresh water sediments	8.1mg/kg	-	-
Marine sediments	8.1mg/kg	-	-
STP	1.67ma/L	-	-

N,N-DIMETHYL 9-DECENAMIDE

DNEL

Exposure	Value	Population	Effect
Inhalation	40mg/m3	Workers	Systemic
Dermal	5.71mg/Kg/day	Workers	Systemic
Inhalation	10mg/m3	General Population	Systemic
Dermal	2.857mg/Kg/day	General Population	Systemic
Oral	2.857mg/Kg/day	General Population	Systemic

PNEC

 Fresh water
 0.028mg/L

 Marine water
 0.0028mg/L

 Fresh water sediments
 1.541mg/Kg

 Marine sediments
 0.154mg/Kg

 Soil (agricultural)
 5.3mg/Kg

 STP
 2.12mg/L

8.2 Exposure controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Colour: Cream

Odour: Characteristic odour

Melting point/Range: Not available
Boiling Point/Range: Not available
Flammability: Non-flammable
pH: Approximately 4.0

Solubility in water: Completely soluble in water

Density: 0.985

⁻ Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 9: Physical and chemical properties (....)

Flashpoint: >93°C

9.2 Other information

- No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

- This article is considered stable under normal conditions

10.2 Chemical stability

- This article is considered stable under normal conditions

10.3 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

- Avoid contact with skin and eyes
- Keep away from heat

10.5 Incompatible materials

- Incompatible with acid
- Incompatible with strong oxidizing substances

10.6 Hazardous decomposition products

- No hazardous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Estimated LD₅₀ (oral) (ATE) : 6005.368 mg/kgEstimated LD₅₀ (dermal) (ATE) : >4000 mg/kg

Estimated LD₅₀ (inhalational) (ATE): >20 mg/l/4hr (gas/vapour)

N,N-DIMETHYL 9-DECENAMIDE ORAL RAT LD50 550 mg/kg

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS ORAL RAT LD50 >2000 mg/kg

ALCOHOLS C9-11, ETHOXYLATED DERMAL - LD50 >2000 mg/kg ORAL - LD50 >300, <2000 mg/kg

DIPROPYLENE GLYCOL METHYL ETHER DERMAL RBT LD50 9510 mg/kg INHALATION RAT LC50 3404.47 mg/l ORAL RAT LD50 8740 mg/kg

Skin corrosion/irritation

May cause severe irritation
May cause redness and irritation

Serious eye damage/irritation

May cause redness and irritation

Respiratory or skin sensitisation

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

SECTION 11: Toxicological information (....)

Germ cell mutagenicity

No information available

Carcinogenicity

No information available

Reproductive toxicity

No information available

STOT (specific target organ toxicity) - single exposure

No information available

STOT (specific target organ toxicity) - repeated exposure

No information available

Aspiration hazard

No information available

11.2 Information on other hazards

- No information available

SECTION 12: Ecological information

12.1 Toxicity

N,N-DIMETHYL 9-DECENAMIDE ALGAE NOEC 1.1 mg/l Daphnia magna 48H EC50 2.8 mg/l Daphnia magna NOEC 0.28 mg/l FISH 96H LC50 7.5 mg/l

BENZENESULFONIC ACID, 4-C10-13-SEC-ALKYL DERIVS., COMPDS

Aquatic plants 48H EC50 >10 mg/l Daphnia magna 96H EC50 15 mg/l FISH 96H LC50 1-5 mg/l

ALCOHOLS C9-11, ETHOXYLATED ALGAE LL/EL/IL50 >100 mg/l

Daphnia magna LL/EL/IL50 1-10 mg/l

FISH LL/EL/IL50 1-10 mg/l

DIPROPYLENE GLYCOL METHYL ETHER

Daphnia magna 48H EC50 1919 mg/l

FISH 96H LC50 >1000 mg/l

GREEN ALGA (Selenastrum capricornutum) 75H EC50 >969 mg/l

Scenedesmus Subspicatus 72H EC50 6999 mg/l

12.2 Persistence and degradability

- Biodegradable

12.3 Bioaccumulative potential

No bioaccumulation potential.

12.4 Mobility in soil

- miscible with water

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Endocrine disrupting properties

Prometheus v1.6.7.7

8 of 9

SECTION 12: Ecological information (....)

- Not applicable

12.7 Other adverse effects

- No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Avoid release to the environment. Refer to special instructions/Safety data sheets
- Disposal should be in accordance with local, state or national legislation
- Do not discharge into drains or the environment, dispose to an authorised waste collection point

SECTION 14: Transport information

14.1 UN number or ID number

UN No.: Not applicable

14.2 UN proper shipping name

Proper Shipping Name: Not applicable

14.3 Transport hazard class(es)

Hazard Class: Not applicable

14.4 Packing group

Packing Group: Not applicable

14.5 Environmental hazards

- Not applicable

14.6 Special precautions for user

- No special precautions are required for this product

14.7 Maritime transport in bulk according to IMO instruments

- No information available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Not hazardous according to current ADR Regulations

15.2 Chemical safety assessment

- A chemical safety assessment (CSA) for this product has not yet been completed

SECTION 16: Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- EUH066: Repeated exposure may cause skin dryness or cracking. H226: Flammable liquid and vapour. H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H319: Causes serious eye irritation. H330: Fatal if inhaled. H335: May cause respiratory irritation. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. H413: May cause long lasting harmful effects to aquatic life.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Datasheet Number: POT13-1000-01 - v3.1.0 9 of 9